


		🖒 соок	6	∳ CHARGE		14	🌣 LIGHT	23
AT HOME OFF-GRID	3	PORTABLE STOVES		POWER STATIONS			HEADLAMPS	
OUR MISSION	4	CampStove 2+	7	BaseCharge 600	16	NEW	HeadLamp 200	24
PRODUCT INDEX	34	CampStove Complete Cook Kit	9	BaseCharge 1500	17	NEW	HeadLamp 330	25
TRAINING & SUPPORT	35	CampStove KettlePot	9				HeadLamp 750	26
GLOSSARY	36	& Coffee Set		SOLAR PANELS				
		CampStove Portable Grill	9	Solar Panel 100	18	NEW	USB LANTERNS	
				SolarPanel 5+	20		AlpenGlow Lantern 250	28
		CAMPFIRE EVOLVED		Solar Panel 10+	20		AlpenGlow Lantern 500	29
		FirePit+	10					
		FirePit Grill Lid	12	Cables & Accessories	23	NEW	OVERHEAD STRING LIGHTS	
		FirePit Griddle	12				SiteLight String	31
		Prep & Grill Toolkit	13	USB POWERBANKS				
		FirePit Carry Bag	13	Charge 20 PD	22		SOLAR LIGHTING	
		FirePit Poker	13	Charge 40 PD	22		SolarHome 620+	32
		FirePit Mat	13	Charge 80 PD	22		SunLight 100	33







О СООК

PORTABLE STOVES

CampStove 2+

CampStove KettlePot & Coffee Set

CampStove Portable Grill

CampStove Complete Cook Kit











CAMPFIRE EVOLVED

FirePit+



FirePit Griddle



FirePit Grill Lid



Prep & Grill Toolkit



FirePit Carry Bag

FirePit Poker



FirePit Mat





CampStove 2+

CSC0200

Turn Fire Into Electricity

Turn fire into electricity with BioLite's award-winning wood stove. Patented thermoelectric combustion technology creates a vortex of smokeless flames for a portable campfire that can cook your meals and charge your gear. Featuring an updated 100 lumen FlexLight with ChromaReal LED technology, cook with confidence at night thanks to accurate color rendering.



3200 mAh Integrated Battery



Extra Storage Stuffsack

Smart LED Dashboard

Smokeless Flames



TECH SPECS

BATTERY

3,200 mAh

FLEXLIGHT (INCLUDED)

100 lumens


FUEL

Renewable biomass (twigs, sticks, pellets)

WEIGHT 2.06 lbs (935 g)

BOIL TIME4.5 minutes for 1 L

USB OUTPUT 1x USB A, 5V / 2.0A




INSIDE THE TECH: CampStove 2+


BioLite's origin story centers around a technology that turns fire into electricty - and creates a much cleaner burn in the process.



BioLite's patented design converts heat from your fire into usable electricity,, powering an internal airflow system that optimizes combustion, burning smoke before it has a chance to escape.

Surplus electricity is stored in the onboard battery, enabling you to access power via USB when you need it.





Portable Wood Cooking System

Cook, boil, grill, and charge with this outdoor camp kitchen. Generate electricity and create smokeless wood flames with the award-winning CampStove 2+ while cooking up meals and beverages with the Portable Grill, KettlePot, and Coffee Press accessories. Featuring an updated 100 lumen FlexLight with ChromaReal LED technology, cook with confidence at night thanks to accurate color rendering.



On-Demand Electricity



Runs On Sticks Or Pellets



Create Full Meals & Hot Beverages



100 Lm ChromaReal FlexLight Included





TECH SPECS

TOTAL WEIGHT

4.94 lbs (2.25 kg)

INCLUDED IN BUNDLE

CampStove 2+ CampStove Portable Grill CampStove KettlePot KettlePot Coffee Press FlexLight 100

CampStove KettlePot & Coffee Set

BNA0101

1.5L Pot For CampStove & Coffee Accessory For KettlePot







Featherlite and Foodsafe



Make 6 Cups of Coffee

TECH SPECS

MATERIALS

WEIGHT

Stainless steel, silcone, plastic

1.02 lbs (465 g)

MATERIALS

BPA-free polypropylene **VOLUME**

Boils 1-6 cups

CampStove Portable Grill

CSD0200

Tabletop Grill For CampStove





Portable and Light

TECH SPECS

MATERIALS

WEIGHT

Stainless steel

1.88 lbs (850 g)



FirePit+

FPA0201

See Fire, Not Smoke

With capacity for up to four standard firewood logs, the BioLite FirePit creates a hyper-efficient burn with patented airflow technology and gives you a front-row seat to the magic thanks to the X-Ray Mesh Body, enabling 360 views. Lift the fuel rack and toss in charcoal to transform the FirePit into a hibachi-style grill, complete with an included grill grate.



12,800 mAh Battery For Longer Run Times



High-Temp Enamel Coating



X-Ray Mesh For 360° Viewing



Use Wood or Charcoal



Bluetooth Enabled







TECH SPECS

BURN TIME

Fan Low: 30 Hours Fan Medium: 14 Hours Fan High: 7 Hours

FUEL

Firewood or charcoal


WEIGHT

19.8 lbs (8.98 kg)

COOKING SURFACE 130 in2 (822 cm2)

INPUTS/OUTPUTS

Micro USB/USB A



11" (28 cm)




12" (30 cm)

INSIDE THE TECH: FirePit+

The Secret to a Better Fire?
Burn The Smoke. Smoke is just unburned fuel that has escaped your fire - we don't let that happen.



BioLite technology creates a carefully calibrated airflow, using an internal fan to inject oxygen into the fire. With 51 air jets distributed across the FirePit's burn chamber, the result is a highly efficient and complete burn.





FPF0100

Concentrated Cooking

Turn your FirePit Grill into a wood-fired oven and take your outdoor cooking to the next level. Featuring enamel coated stainless steel construction, this durable accessory integrates with the FirePit to concentrate heat for both low-and-slow and quick-grill cooking methods.



Heat-Resistant Handles



Adjustable Air Vent For Heat Control





TECH SPECS

TOTAL WEIGHT

3.9 lbs (1.77 kg) MATERIALS

Enamel-coated steel

DIMENSIONS

22.0 x 12.6 x 6.3 in (56 x 32 x 16 cm)

FirePit Griddle

FPE0100

Flat Surface Cooktop for FirePit

Designed to perfectly fit the FirePit, this cast iron griddle will transform the way you do breakfast outside. A pre-seasoned nonstick surface means great meals from the very first sizzle while the raised edges help contain grease and other runoff. May be used on its own or pair with the FirePit OvenTop (sold separately) for even more concentrated cooking.



Durable Cast Iron



Pre-seasoned, Nonstick Surface





TECH SPECS

TOTAL WEIGHT

8.8 lbs (3.98 kg) **MATERIALS**

Nonstick cast iron

DIMENSIONS

19.3 x 9.5 x 19.7 in (49 x 24 x 50 cm)

FPD0100

Durable Canvas Haul Bag



 \downarrow

Fits FirePit + All Accessories Inside



Doubles as Firewood Carrier

TECH SPECS

MATERIALS

DIMENSIONS

Heavy duty canvas

24 x 16 x 12.5 in (61 x 41 x 32 cm)

Prep & Grill Toolkit

BNB0101

Go-To Utensils, All Rolled Up





Durable, Food Grade Materials



Kit Rolls Up For Compact Storage





MATERIALS

Santoku knife Slotted turner Locking tongs Tool roll

Heat resistant stainless steel, nylon

FirePit Poker

Fuel & Fire Management

FAB0200





Adjust Fuel Rack For Wood & Charcoal



Tend Your Fire

TECH SPECS

MATERIALS

DIMENSIONS

WEIGHT

Stainless steel, 2 silicone rubber (

23.4 x 2.2 x 0.5 in (59 x 5.6 x 1.4 cm) 148 g (5.2 oz)

FirePit Mat

FAA0200

Ground Protector For FirePit





Protects Sensitive Surfaces Like Decks & Grass

TECH SPECS

MATERIALS Aluminum

coated

fabric

fiberglass

DIMENSIONS

WEIGHT

31.8 x 24.0 in (80.8 x 61.0 cm) 450 g (16 oz)



♦ CHARGE

BaseCharge 600 SolarPanel 100 Charge 20 PD SolarPanel 5+ Charge 40 PD SolarPanel 10+ Charge 80 PD

BUILD YOUR OWN GRID Meet The BioLite BaseCharge Series





CHARGE

AVAILABLE SPRING 2022 BaseCharge 600



BaseCharge 600











Build Your Own Grid

A high capacity power station ready to keep you charged off-grid, the BaseCharge 600 delivers 622 watt hours of flexible energy to your own personalized ecosystem of devices for an on-grid experience wherever you may be. Integrates with BioLite Solar for full solar generator solution and utilizes Maximum Power **Point Tracking** to pull up to 30% more energy than other non-MPPT systems.



25% More Capacity Than 500Wh Power Stations



Up to 600W (1,000W Surge) AC Output



USB-C PD (100W) and Wireless Charging Included



Extra Large Easy-Read Display for Real-time Feedback & Control



Safe & Reliable Design With 12 **Checkpoint Battery Safety System**



TECH SPECS

BATTERY

622 Wh (21.6V, 28.8 Ah) Li-Ion (NMC)

INPUTS

Solar Input (APP), 120W Wall Charger (APP), 90W USB C-PD, 100W

AC OUTPUTS

2x 120V. 60Hz. 600W 1,000W Surge *International Versions available (EU, UK, Japan, APAC)

WIRELESS OUTPUT

10W Wireless Charger

DC OUTPUTS

1x 12V Carport Ouptut, 120W 2x 12V DC Barrel Ports, 120W

USB OUTPUTS

2x USB-A: 5V/2.4A 1x USB-C: 5V/3.0A 1x USB-C PD: 5V, 9V, 12V, 20V/5A (100W)

CHARGE TIME

7 hrs (included wall charger) 3.5 hrs (Wall charger + USB-C PD) 6 hrs (Peak input, SP100)

WEIGHT

21.7 lbs (9.85 kg)

DIMENSIONS

11.8 x 7.48 x 7.52 in (300 x 190 x 191 mm)

AVAILABLE SPRING 2022 BaseCharge 1500



BaseCharge 1500











Scale Up Your Off-Grid Power

Looking to power bigger jobs or longer periods of time? Step up to the BaseCharge 1500 and have 1521 watt hours of shareable energy at your fingertips: from medical devices to refrigerators, this high capacity power station can handle hungry devices and an array of electrical requrements. Integrates with BioLite Solar for full solar generator solution and utilizes **Maximum Power Point Tracking** to pull up to 30% more energy than other non-MPPT systems.



USB-C PD (100W) and Wireless Charging Included



Up to 1200W (2,000W Surge) AC output



Extra Large Easy-Read Display for Real-time Feedback & Control



Safe & Reliable Design With 12 Checkpoint Battery Safety System



TECH SPECS

BATTERY

1521 Wh (21.6V, 70.4 Ah) Li-Ion (NMC)

INPUTS

Solar Input (APP), 400W Wall Charger (APP), 120W USB C-PD, 100W

AC OUTPUTS

3x 120V, 60Hz, 1200W 2,000W Surge *International Versions available (EU, UK, Japan, APAC)

WIRELESS OUTPUT

10W Wireless Charger

DC OUTPUTS

1x 12V Carport Ouptut, 120W 2x 12V DC Barrel Ports, 120W

USB OUTPUTS

2x USB-A: 5V/2.4A 2x USB-C: 5V/3.0A 1x USB-C PD: 5V, 9V, 12V, 20V / 5A (100W)

CHARGE TIME

12.5 hrs (included wall charger) 7 hrs (Wall charger + USB-C PD) 4 hrs (Peak input, 4xSP100)

WEIGHT

32.9 lbs (14.9 kg)

DIMENSIONS

13.7 x 10.9 x 7.36 in (348 x 277 x 187 mm)

SolarPanel 100

SPD0100

Highly Powerful, Highly Packable

The BioLite SolarPanel 100W is a 100 watt, lightweight, chainable solar panel that offers serious power and ultimate packability for your off-grid activity. The sleek ETFE laminated construction enables the high efficiency monocrystalline cells to run at peak performance without any unnecessary bulk or materials while simultaneously providing protection from surprise showers. Power devices directly through the integrated USB-A and USB-C PD ports or pair with the BioLite Power Station for a full solar generator solution.



Optimal Sun System Sets Panel Up for Direct Rays via Integrated Sundial and Kickstand



92 in² of Surface Area Packs Down to 20x15x1.5in With Easy-Carry Handles



Durable and Water Resistant, With Storage Pouch for Added Protection



Works with BioLite or non-BioLite
Stations using a standard connector



Compatible With 4x1 Chaining Adapter Cable for up to 400W Solar Generator





TECH SPECS

WEIGHT

9.5 lbs (4.3 kg)

OUTPUTS

Andersen Power Pole (APP) Powerstation connection USB-C PD, 45W 2x USB-A

POWER OUTPUT

100W in Peak Sunshine

DIMENSIONS (FOLDED)

20 x 15 x 1.5 in (508 x 381 x 38.1 mm)

DIMENSIONS (UNFOLDED)

20 x 60 x 1 in (508 x 1524 x 25.4 mm)

INSIDE THE TECH: SolarPanels

The Most From The Sun In Minimalist Form

- OPTIMAL SUN SYSTEM

BioLite's SolarPanel Series pairs usercentric design with minimalist materials to create a more powerful charge. Instead of cumbersome casings and plastics, our proprietary panel-bonding design allows us to feature a sun-optimizing kickstand and sundial while maintaining an ultraslim, packable profile.





SPA0200

SolarPanel 10+

5 Watt Panel with Power Storage

Featuring BioLite's Optimal Sun System, an integrated sundial aligns you to the sun to capture direct rays and a 360 degree kickstand simplifies positioning on uneven terrain. Designed to put you in control of your energy, Maximum Power Point Tracking helps you get the strongest charge under all conditions while the 3,200 mAh on-board battery stores power, enabling you to charge devices when you need it most.







Ultraslim Design

10 Watt Panel with Power Storage

Looking for more power? Double-down with the folding Solar Panel 10+ and enjoy the same optimizing benefits of the 5+, but with twice the output. Thanks to minimalist construction, the folding design maintains a small footprint, slipping easily into laptop sleeves for ultimately portability.







Ultraslim Fold-Flat Design









TECH SPECS

WEIGHT INPUTS/OUTPUTS Micro USB charge in 0.86 lbs (390 g) USB charge out

> POWER OUTPUT 5 watts

DIMENSIONS

10.12 x 8.19 x 0.94 in (257 x 208 x 24 mm)

WEATHER RESISTANCE

IPX4

TECH SPECS

WEIGHT INPUTS/OUTPUTS Micro USB charge in 1.23 lbs (558 g) USB charge out

BATTERY POWER OUTPUT 3,200 mAh 10 watts

DIMENSIONS (FOLDED)

10.12 x 8.19 x 0.94 in (257 x 208 x 24 mm)

WEATHER RESISTANCE

IPX4



Adapter cable to allow up to 4 BioLite SolarPanel Products to connect to a single BaseCharge powerstation

TECH SPECS

LENGTH 7.8 in (200 mm)

CONNCECTOR TYPE

1x Andersen Power Pole (APP, Output 4x Andersen Power Pole (APP), Inputs

POWER CAPACITY

100W to 400W

Solar Power Extension Cable, 15 ft

ACA0104



15' (4.5m) long extension cable for use with BioLite SolarPanel 100 and BaseCharge series powerstations. Anderson Power Pole (APP) connections on both ends.

TECH SPECS

LENGTH 15ft (4.5 m)

CONNCECTOR TYPE

1x Andersen Power Pole (APP), Output 1x Andersen Power Pole (APP), Input **POWER CAPACITY**

Up to 400W



Adapter cable to allow use of MC4 solar panel connectors with BioLite BaseCharge

TECH SPECS

7.8 in (200 mm)

LENGTH

CONNCECTOR TYPE

1x Andersen Power Pole (APP), Output 2x MC4 Connectors (+, -), Inputs **POWER CAPACITY**

Up to 200W

12V Car Charger Cable

ACA0102



Adapter cable to allow charging BioLite BaseCharge powerstations from 12V carport (cigarette lighter)

TECH SPECS

LENGTH 10 ft (3 m)

CONNCECTOR TYPE

1x Andersen Power Pole (APP), Output 1x 12V Male Carport, Input POWER CAPACITY

120W

CHARGE SERIES High Power USB-C Charging Designed to power the next generation of personal electronics, BioLite's Charge Series features USB-C Power Delivery for faster, more flexible charging. With a range of options to service smartphones, tablets, and compatible laptops, our durable powerbanks are FAA Carry-on compliant and utilize an ultra-packable form factor, making this series the perfect travel companion. **USB-C PD for Faster Charging Durable Case Construction FAA Carry-On Compliant**

Charge 20 PD

CBA0100

6000mAh USB-C PD Power Bank



TECH SPECS

BATTERY

6,000 mAh, (22.2 Wh)

USB A & USB C-PD POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

DIMENSIONS

WEIGHT

5.8 oz (165 g)

CHARGE TIME

2 hrs by up to 18W USB C-PD

4.4 X 2.0 X 0.98 in (112.3 x 51.0 x 24.8 mm)

Charge 40 PD

CBB0100

10,000mAh USB-C PD Power Bank



TECH SPECS

BATTERY

10,000 mAh, (37 Wh)

USB A & USB C-PD POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

CHARGE TIME

2.5 hrs by up to 18W USB C-PD

WEIGHT

9.4 oz (265 g)

DIMENSIONS

5.5 X 3.1 X 0.94 in (139.5 x 78.3 x 24.0 mm)

Charge 80 PD

CBC0100

20.000mAh USB-C PD Power Bank



TECH SPECS

BATTERY

20,000 mAh, (74 Wh)

USB A & USB C-PD POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

CHARGE TIME

5 hrs by up to 18W USB C-PD

WEIGHT

16.4 oz (465 g)

DIMENSIONS

8.7 x 3.1 x 0.94 in

(221.5 x 78.3 x 24.0 mm)

埃LIGHT

HEADLAMPS	USB LANTERNS	OVERHEAD STRING	LIGHTS	SOLAR LIGHTING	
HeadLamp 200	AlpenGlow Lantern 250	SiteLight String	-eeb	SolarHome 620+	
HeadLamp 330	AlpenGlow Lantern 500			SunLight 100	
HeadLamp 750					



HeadLamp 200











The End of Disposable **Batteries Starts Here**

A minimalist design that maximizes comfort and fit, HeadLamp 200 is a compelling entry into the rechargeable landscape. Delivering 200 lumens, four lighting modes, and weighing only 50 grams, this generalist headlamp is ready to go head-tohead with alkalines – and win.



3D SlimFit Construction



USB Rechargeable



4 Modes, Including Dimmable Red



Weighs Only 50g





TECH SPECS

LUMENS

200 Lm

700 mAh, USB Rechargeable

BURN TIME (HOURS)

40 LO/3 HI

IPX4

WEIGHT 1.76 oz (50 g)

Red Flood

+ Dimming

MODES

BATTERY

Spot

WATER RESISTANCE

Red Strobe

White Strobe + Dimming

White Spot

BEAM DISTANCE



HeadLamp 330

Rechargeable Head Light

illuminate your next adventure.

HeadLamp 330 combines an ultra-thin 9mm front with rebalanced weight and moisture-wicking fabrics to create a fit so comfortable, you'll think you're

simply wearing a headband. With 330 lumens, spot, flood, and red night vision, this headlamp is ready to









SUNRISE YELLOW MIDNIGHT GREY OCEAN TEAL EMBER RED

No-Bounce, Ultra-Thin,

3D SlimFit Construction



USB Rechargeable



9mm Ultra-Thin Front



Weighs Only 69g





TECH SPECS

LUMENS

330 Lm Total (230 Lm Spot, 100 Lm Flood)

BURN TIME (HOURS)

40 LO/3.5 HI

WATER RESISTANCE IPX4

BATTERY 900 mAh,

USB Rechargeable

WEIGHT 2.43 oz (69 g)

MODES

+ Dimming

Red Flood White Flood




BEAM DISTANCE

White Strobe

Flood

White Spot + Dimming

Spot



HeadLamp 750





High Performance Light With A High Performance Fit

Go further and stay brighter with the Pro-Level HeadLamp 750. Utilizing 3D SlimFit construction, this hands-free light packs serious lumens and rechargeable power into a compact profile with an unprecedented no-bounce fit. With key features including a 750 lumen Burst Mode, Constant Brightness Setting, and a red rear light, this HeadLamp is ready to match your own epic performance.



3D SlimFit Construction



USB Rechargeable



Constant Brightness Mode



Rear Red Flood & Strobe

Run Forever Cable Included





BEAM DISTANCE

__15 M

TECH SPECS

LUMENS

750 Lm BURST 500 Lm HIGH 5 Lm HOW

BURN TIME (REGULATED)

150 LO/7 HI

BURN TIME (CONSTANT)

150 LO/2 HI

ADDITIONAL RESERVE

+8 Hours at 5 Lm

BATTERY

3,000 mAh, USB Rechargeable

WEIGHT

5.3 oz (150 g)

MODES



Flood

+Dimming











White Spot White + Dimming Strobe


INSIDE THE TECH: HeadLamp Series


Our line of HeadLamps are not only designed for peak performance, the proprietary construction delivers the best fit of any headlamp on the market.

3D SLIMFIT CONSTRUCTION

By integrating our electronics into the fabric with a custom molded housing, we pack all your lighting into an ultrathin facing that is designed to fit as seamlessly as a contact lens.

Our headlamps move with you as a single unit and you soon forget it's even there.







AlpenGlow Lantern 250

LNA0100

Feel At Home With Nature -**Inspired Light**

High efficiency meets high ambiance with this nature-inspired portable lantern. Combining ChromaReal LED technology with ergonomic user-friendly design, chose from a mix of warm, cool, and color tones to match the mood of your environment.



Cool, Warm, & Color Modes



ChromaReal LED Technology



Rechargeable 3,200 mAh Battery Offers Charge Out





TECH SPECS

LUMENS

250 Lm

BURN TIME (HRS)

48 LO/4.5 HIGH

DIMENSIONS

3.7 x 3.0 in diameter (95 x 75mm diameter)

INPUTS/OUTPUTS

Micro USB charge in USB A charge out

BATTERY

3,200 mAh, (11.1 Wh)

WEIGHT

7.4 oz (210 g)

IPX4 RATING

IPX4

LIGHTING MODES

- Cool light, full (360 degree)
- Cool light, half (180 degree)
- Warm light, full (360 degree)
- Warm Candle Flicker
- 1 color light
- 1 color party mode
- Multicolor light (preset)
- Multicolor party mode



AlpenGlow Lantern 500

LNB0100

Feel At Home With Nature - Inspired Light

Inspired by lighting you can only find in the great outdoors, the AlpenGlow lantern gives you the ability to create your own dusk and daylight feel no matter the time of day. Featuring ChromaReal LED technology, accurately render the colors in your environment with the glow of natural light; feeling more aurora borealis? Shake the lantern for an instant rotation of mesmerizing color. Highly responsive to your mood and setting, this lantern steps up the power of ambient lighting through smart tech and thoughtful design.



Cool, Warm, & Color Modes



ChromaReal LED Technology



Rechargeable 6,400 mAh Battery Offers Charge Out





TECH SPECS

LUMENS

500 Lm

BURN TIME (HRS)

48 LO/4.5 HIGH

DIMENSIONS

5.4 x 3.8 in diameter (136 x 97mm diameter)

INPUTS/OUTPUTS

Micro USB charge in USB A charge out

BATTERY

6,400 mAh, (22.2 Wh)

WEIGHT

13.4 oz (380 g)

IPX4 RATING

IPX4

LIGHTING MODES

- Cool light, full (360 degree)
- Cool light, half (180 degree)
- coorlight, nam (loo degree)
- Warm light, full (360 degree)
- Warm Candle Flicker
- 1 color light
- 1 color party mode
- Multicolor light (preset)
- Multicolor party mode


INSIDE THE TECH: AlpenGlow

High-efficiency LEDs emit broad-spectrum light for more accurate color rendering

CHROMAREAL LED TECHNOLOGY

ChromaReal Technology is a departure from the colder blue lights typically found among many portable lanterns. It helps colors pop and allows finishes to have more depth and luster. ChromaReal is especially helpful with nighttime cooking.







SiteLight String

SLB0200

SiteLight Series

BioLite's daisy-chainable SiteLights offer easy overhead lighting and can be run from any USB power source, including BioLite lanterns and powerbanks.



USB Adapter Included



All Models Chainable



Compact, Packable Design



TECH SPECS

LUMENS CORD LENGTH

150 Lm 10 ft (in 4 lights) (3 m)

WEIGHT PACKED DIMENSIONS

0.18 lbs 1.85 x 1.85 x 2.75 in (80 g) (47 x 47 x 70 mm)



SolarHome 620+

SHA0301

Multi-Room Solar Light & Power

SolarHome 620+ is a self-contained system of solar lighting and charging that can turn any off-grid structure into an electrified home. The system combines functional and protective lighting (motion sensor included), USB charging, and radio and mp3 capabilities, creating a hub designed for everyday use. Ideal for cabins, van life, and hunting structures, the SolarHome 620+ is a perfect entry into solar living with easy installation and flexible setup.



6 Watt Solar System



Multi-Room Light



MP3 & Radio



Motion Sensor Light



Centralized Control Box







TECH SPECS

BATTERY

3600 mAh @ 6.4 V (23 Wh), LiFePO4

SOLAR PANEL

6 watt output

WEIGHT

Control Box 610 g (1.34 lbs) Lights (each) 230 g (0.51 lbs) Solar Panel 720 g (1.59 lbs)

LUMENS 450 Lm total

INPUTS

OUTPUTS

Solar Panel Port x1

USB Charge Out x2 (USB Devices)

DIN Port x1 (Expansion Battery)

Light Port x2 (Hanging Lights)
Light Junctions x3 (Light Extensions)

RUN TIME FROM 1 DAY OF FULL SUN

4 LIGHTS ON LOW

4 LIGHTS ON MED

20 HOURS

10 HOURS

4 LIGHTS ON HI

6 HOURS



SunLight 100

SLA0202

Personal, Portable Solar Light

Portable, compact, and durable, the SunLight will quickly become a go-to for your off-grid lighting. Offering up to 50 hours of light on a single charge, the SunLight's integrated solar panel offers unlimited light and versatile setup so you can leave your batteries behind and free yourself from rationing your energy.



Self-Charging Solar



Optimal Alignment



Full Color Mode



360° Kickstand





TECH SPECS

LIGHTING MODES

White, Full Color, Party Mode

BATTERY

750 mAh) li-ion, USB Rechargeable

DIMMABLE

Yes

BURN TIME (HRS)

50 LO

3 HI + 4 hrs in reserve

WEIGHT

3.4 oz (95 g)

LUMENS

100 Lm

CHARGE TIME SOLAR

7 hours

CHARGE TIME USB

2 hours

WATER RESISTANCE

IPX4



BioLite 2022 Product Assortment

PORTABLE STOVES







CampStove 2+ CampStove KettlePot & Coffee Set BNA0101

BaseCharge 1500

BGB0101

BGB0102 ⊕ BGB0103

BGB0104

BGB0105



CampStove Complete Cook Kit BNA0100



CampStove Portable Grill CSD0200

CAMPFIRE EVOLVED



FirePit+

FPB1001



FPA0201



FirePit Grill Lid

FirePit Griddle FPE0100



FirePit Prep & Grill Toolkit BNB0101



FirePit Carry Bag FPD0100



FirePit Poker FirePit Mat FAB0200 FAA0200

CHARGE

LIGHT

POWER STATIONS



BaseCharge 600

- BGA0101
- BGA0102
- **BGA0103**
- BGA0104
- BGA0105

SOLAR PANELS



SolarPanel 5+ SPA0200



SolarPanel 10+ SPC0200



SolarPanel 100 SPC0200

BATTERY BANKS



Charge 20 PD CBA0100



Charge 40 PD CBB0100



Charge 80 PD CBC0100

HEADLAMPS



HeadLamp 200

- HPB0202
- HPB0203 HPB0204
- HPB0205

HPA0202

HPA0203

HPA0204

HeadLamp 330

- HPA0201
- HPC0101 HPC0102

HeadLamp 750

USB LANTERNS









AlpenGlow Lantern 500 LNB0100

OVERHEAD STRING LIGHTS



SiteLight String SLB0200

SOLAR LIGHTING



SolarHome 620+ SHX1101



SunLight 100 SLA0202

Training & Support

Training Guides & Videos

We want to help retail employees better understand the BioLite ecosystem. With every new product launch, we offer training videos and quick reference guides created with retail employees in mind. Visit our new Envoy Training Showroom for videos and product orientations.



Marketing Support

We maintain a rich library of assets to support your marketing efforts. From ambassador photography to Facebookfriendly videos and SEO optimized blog content, our team is ready to support social and digital efforts.



Brand Guidelines

Visit <u>BioLiteEnergy.com/brand</u> to download fonts, logos, product imagery and additional creative assets.



Point-Of-Purchase

Burn Chamber Inserts



CampStove 2+ PDA0101

6.9 x 10.7 in (17.5 x 27.2 cm)



FirePit+ PDA0102

20.5 x 7.2 x 2 (52 x 18 x 5 cm)

Signage



12x36" Logo Signage

PDB0101 12 x 36 in

(30.5 x 91.4 cm)

Adhesive tape included for installation



6 x 18" Logo Signage

PDB0102

6 x 18 in (15.2 x 45.7 cm)

Adhesive tape included for installation



♦ CHARGE



5x11" Cook/Charge/Light Category Signage PDB0103

5 x 11 in (12.7 x 27.9 cm) Adhesive tape included for installation

Glossary Of Terms

Power (Watts [W])

Power describes the amount of instantaneous energy available to operate or charge a device, typically measured in Watts [W]. In BioLite products, we use Watts to describe how much energy you can generate from our Solar Panels and Thermoelectrics. This energy is most often used to fill the batteries of other devices. Typically, the more powerful (higher watts) a power source is, the faster it will charge other devices.

Power Storage (Watt Hours [Wh] or Milliamp Hour [mAh])

The capture of energy produced at one time for use at a later time – generally in a battery. BioLite devices like the CampStove, BaseCamp, SolarPanel Series, Charge Series and Lanterns contain highly efficient, compact, Lithium Ion batteries for power storage.

Lumens

The amount of light emitted per second in a unit solid angle from a uniform source in all directions. Essentially lumens measures the brightness of a light source.

Thermoelectrics

A fundamental physical property of certain semiconductor materials that directly convert heat flows into electricity. Thermoelectrics are solid-state (meaning no moving parts) and work for many years without degradation. BioLite uses thermoelectrics in the CampStove and BaseCamp to turn fire into electricity.

Parallel Innovation

BioLite develops core energy technologies that are applicable to both Outdoor and Emerging Markets. We then design products unique to the customer needs in each respective market. Profits from our Outdoor Markets are reinvested into our Emerging Markets in order to help us reach self-sustaining scale in Emerging Markets. You can think of it as an alternative to venture capital investment, where our Outdoor customers become the catalysts for energy access to the people who need it most. This is not charity, as our customers in Emerging Markets still pay for products, but rather catalytic investment to help us launch a business which can reach millions of people with clean, affordable energy.

Maximum Power Point Tracking (MPPT)

MPPT is the most advanced type of solar converter circuit available. Unlike rudamentary controllers (such as PWM) the MPPT controller is constantly measuring the panel operating point and balancing circuit loads to maximize power transfer to the battery under all sun conditions. The result is up to 30% more energy transfered in a given day.

ANSIFL-1

This standard is a set of flashlight and headlamp performance guidelines. ANSI FL-1 allows for direct comparisons can be made between lighting products from different manufacturers. Adherence to the FL1 Standard is voluntary, although the vast majority of manufacturers have adopted the standard. Ratings are defined for the following performance criteria:

- Light Output [Lumens]
- Peak Beam Intensity [Candela]
- Beam Distance [Meter]
- Runtime [Hours]
- Water Resistance [IPX Rating]

USB-C PD (Power Delivery)

Power Delivery (PD) is a protocol specification that allows for fast, flexible and safe charging. This technology allows a variety of devices to fast charge over a common USB-C connection and allows both power-providing and power-receiving devices to negotiate the most efficient and safe setting.

ChromaReal

ChromaReal is an LED technology that BioLite uses for applications where complete and accurate lighting is important. Any product with ChromaReal will have a Color-Rendering Index (CRI) of 90 or higher. The CRI is a measure of how full spectrum the emitted light is and how accurate colors will appear.

3D SlimFit

3D SlimFit refers to BioLite's proprietary construction method for headlamps, integrating electronics directly into softgoods for an unprecedented fit and profile. The "3D" refers to 3 dimensions identified for high-performance fit: 1) flush, low-profile front housing for no bounce; 2) distributing weight across the headlamp for a more natural feel; and 3) moisture-wicking fabrics that keep the user cool and dry during activity.

Pure Sine

Pure Sine technology is a specific type of power inverter that turns DC power from a battery into AC power. AC (Alternating Current) is what's provided by the grid to your home outlets and needs to have a specific sine wave frequency to be compatible with all devices (such as newer TV's, CFL light bulbs, and some appliances with AC motors). Older or lower quality Power Stations use a "modified sine" approach that can cause issues with these devices and in many cases an annoying humming noise.



BioLite Dealer Inquiries



DealersCanada.BioliteEnergy.com

Want to become a BioLite dealer or place a new order? Please follow one of these links to fill out a form with your details and we will follow up with you.

Alternatively you can also reach out to us at sales@bioliteenergy.com.

Dealers Asia. Biolite Energy.com

